

# BOULEVARD (Model)



## TECHNICAL INFORMATION

[IES Files](#) 

Watt	35W
Luminaire	Up to 2350lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Black - 12 / Aluminium - 21

## DESCRIPTION



## VERSIONS *(Click on below link to configure your product)*




[boulevard](#)

Size:  
Ø 20" 15/32  
20" 3/32



## OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097003X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097007X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097011X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097014X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097028X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097029X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097030X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097031X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097002X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097006X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097010X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097013X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	249.12 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099086X-12**  
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	1.9 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099071X-12**  
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	3.97 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099073X-12**  
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	5.14 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code       **1099076X-12**  
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	5.62 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 4 LIGHT FITTINGS.


Arcluce Code       **1099077X-12**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	6.06 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 6 LIGHT FITTINGS.


Arcluce Code       **1099078X-12**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	6.61 lb

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code       **1099095X-12**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	14.55 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097020X-12**  
Code Ref.




TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097021X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097022X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097023X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097019X-12**

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	61.73 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097028X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097029X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097030X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097031X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097002X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097006X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097010X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097013X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	249.12 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099086X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.9 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099071X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	3.97 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099073X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.14 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code       **1099076X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.62 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 4 LIGHT FITTINGS.


Arcluce Code       **1099077X-21**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Aluminium - 21
<b>Weight</b>	6.06 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 6 LIGHT FITTINGS.


Arcluce Code       **1099078X-21**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Aluminium - 21
<b>Weight</b>	6.61 lb

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code       **1099095X-21**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Aluminium - 21
<b>Weight</b>	14.55 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097020X-21**  
Code Ref.




TECHNICAL INFORMATION	
<b>Color</b>	Aluminium - 21
<b>Weight</b>	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097021X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097022X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097023X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097019X-21**

Code Ref.



**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	61.73 lb