

BOULEVARD (Model)



TECHNICAL INFORMATION

[IES Files](#) 

Watt	35W
Luminaire	Up to 2350lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Black - 12 / Aluminium - 21

DESCRIPTION



VERSIONS *(Click on below link to configure your product)*




[boulevard](#)

Size:
Ø 20" 15/32
20" 3/32



OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097002X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097006X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097010X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097013X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097032X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097033X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097034X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097035X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	249.12 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code **1099086X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	1.9 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code **1099071X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	3.97 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099073X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	5.14 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code **1099076X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	5.62 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 4 LIGHT FITTINGS.


Arcluce Code **1099077X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	6.06 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 6 LIGHT FITTINGS.


Arcluce Code **1099078X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	6.61 lb

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code **1099095X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	14.55 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097020X-12**
Code Ref.




TECHNICAL INFORMATION	
Color	Black - 12
Weight	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097021X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097022X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097023X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097019X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	61.73 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097002X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097006X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097010X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097013X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097032X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097033X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097034X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097035X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	249.12 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code **1099086X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.9 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code **1099071X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	3.97 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099073X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.14 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code **1099076X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.62 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 4 LIGHT FITTINGS.

Arcluce Code **1099077X-21**
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	6.06 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 6 LIGHT FITTINGS.

Arcluce Code **1099078X-21**
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	6.61 lb

PAINTED STEEL Ø 60 MM ARM.

Arcluce Code **1099095X-21**
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	14.55 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097020X-21**
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097021X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097022X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097023X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097019X-21**

Code Ref.



TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	61.73 lb