

**CONO** (Model)



**TECHNICAL INFORMATION**

[IES Files](#) 

Watt	35W
Luminaire	Up to 4300lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Aluminium - 21 / Grey - 16

**DESCRIPTION**



**VERSIONS** (Click on below link to configure your product)



[comfort](#)




[performance](#)

Size:  
Ø 11" 13/16  
13"

Size:  
Ø 11" 13/16  
13"




**OPTICS**



See accessories in the next page

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099086X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.9 lb

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code       **1099067X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	15.65 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099071X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	3.97 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099073X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.14 lb

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code       **1099076X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.62 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.


Arcluce Code       **1097002X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.


Arcluce Code       **1097006X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097010X-21**  
Code Ref.




TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097013X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	249.12 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH ROUND ATTACHMENT Ø 140 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097057X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	185.19 lb

DOUBLE CURVED GALVANIZED AND PAINTED STEEL POLE Ø 127 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097051X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	330.69 lb

SINGLE CURVED GALVANIZED AND PAINTED STEEL POLE Ø 127 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097053X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	216.05 lb

GALVANIZED AND PAINTED STEEL POLE Ø 140 MM WITH DOUBLE ATTACHMENT, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097056X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	209.44 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH STRAIGHT ATTACHMENT Ø 127 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097058X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	194.01 lb

DOUBLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH STRAIGHT ATTACHMENT Ø 127 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097060X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	260.15 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH STRAIGHT ATTACHMENT Ø 127 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097059X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	220.46 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE Ø 102 MM, WITH INSPECTION SLIT AND  
TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097065X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	88.18 lb

DOUBLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE Ø 102 MM, WITH INSPECTION SLIT AND  
TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097064X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	121.25 lb

DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code       **1099425X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	12.46 lb

SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code       **1099424X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	6.17 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099086X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.9 lb

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code       **1099067X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	15.65 lb

POLE ATTACHMENT FOR 1 LIGHT FITTING.


Arcluce Code       **1099071X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	3.97 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code       **1099073X-16**  
Code Ref.




TECHNICAL INFORMATION	
Color	Grey - 16
Weight	5.14 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097002X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097006X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097010X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097013X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	249.12 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH ROUND ATTACHMENT Ø 140 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097057X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	185.19 lb

DOUBLE CURVED GALVANIZED AND PAINTED STEEL POLE Ø 127 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097051X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	330.69 lb

SINGLE CURVED GALVANIZED AND PAINTED STEEL POLE Ø 127 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097053X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	216.05 lb

GALVANIZED AND PAINTED STEEL POLE Ø 140 MM WITH DOUBLE ATTACHMENT, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097056X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	209.44 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH STRAIGHT ATTACHMENT Ø 127 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097058X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	194.01 lb

DOUBLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH STRAIGHT ATTACHMENT Ø 127 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097060X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	260.15 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE WITH STRAIGHT ATTACHMENT Ø 127 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097059X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	220.46 lb

SINGLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE Ø 102 MM, WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097065X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	88.18 lb

DOUBLE GALVANIZED AND PAINTED STEEL STRAIGHT POLE Ø 102 MM, WITH INSPECTION SLIT AND  
TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097064X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	121.25 lb

DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code       **1099425X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	12.46 lb

SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code       **1099424X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	6.17 lb

POLE ATTACHMENT FOR 3 LIGHT FITTINGS.

Arcluce Code       **1099076X-16**

Code Ref.



**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	5.62 lb