

# **CONO** (Model)





## **TECHNICAL INFORMATION**

| Watt          | 35W   |
|---------------|---|
| Luminaire     | Up to 5250lm  |
| ССТ           | 3000K – 4000K - DarkSky approved for CCTs of 3000K or lower |
| CRI           | >80   |
| Wiring        | 120-277V 60Hz / 0-10V                                       |
| LED life time | > 60000h - L80 - B20 (Ta 25°C)                              |
|               |   |

## **DESCRIPTION**

#### Construction

- Die-cast aluminium body (EN 47100).
- Double layer polyester powder paint resistant to corrosion and salt spray fog.
- Silicone rubber gaskets.
- AISI 316 stainless steel external screws.

#### **Electrical & Optics**

- Universal input voltage: 120-277V 50/60Hz.
- 0-10V dimming available.
- Wiring on removable galvanized steel tray.
- High-efficacy LEDs with standard 3000K, 4000K (2700K or other CCTs available on request).
- PMMA lenses for LEDs.
- Screen made of 3/16" thermal-shock resistant tempered glass.

#### Listings

Color

- UL certified to U.S. and Canadian standards, suitable for wet locations (cULus mark).
- DarkSky approved for CCTs of 3000K or lower.

Grey - 16 / Aluminium - 21

- Rated IP66 per EN60598.
- Luminaire rated for -40°C minimum ambient temperature.
- High quality LED sources characterized according to IES TM-30, with high color consistency <3SDCM and long useful life >60000 hours at L80.

#### Installation

■ Bracket installation (Ø60mm tenon).











#### VERSIONS (Click on below link to configure your product)



comfort



performance

Size: Size: Ø 11" 13/16 Ø 11" 13/16 13" 13"



## **OPTICS**









See accessories in the next page




# PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099086X-16

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Grey - 16 |
|--------|-----------|
| Weight | 1.9 lb    |

## PAINTED STEEL Ø 60 MM ARM.

Arcluce Code

1099067X-16

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Grey - 16 |
|--------|-----------|
| Weight | 15.65 lb  |

# POLE ATTACHMENT FOR 1 LIGHT FITTING.

Arcluce Code

1099071X-16

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Grey - 16 |
|--------|-----------|
| Weight | 3.97 lb   |

## PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099073X-16

Code Ref.



## **TECHNICAL INFORMATION**

| Color  | Grey - 16 |
|--------|-----------|
| Weight | 5.14 lb   |
|        |           |




## DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code

1099425X-16

Code Ref.



#### **TECHNICAL INFORMATION**

| Color  | Grey - 16 |
|--------|-----------|
| Weight | 12.46 lb  |

## SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code

1099424X-16

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Grey - 16 |
|--------|-----------|
| Weight | 6.17 lb   |

# PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099086X-21

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Aluminium - 21 |
|--------|----------------|
| Weight | 1.9 lb         |

#### PAINTED STEEL Ø 60 MM ARM.

Arcluce Code

1099067X-21

Code Ref.



## **TECHNICAL INFORMATION**

| Color  | Aluminium - 21 |
|--------|----------------|
| Weight | 15.65 lb       |




# PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099071X-21

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Aluminium - 21 |
|--------|----------------|
| Weight | 3.97 lb        |

## PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099073X-21

Code Ref.



#### **TECHNICAL INFORMATION**


| Color  | Aluminium - 21 |
|--------|----------------|
| Weight | 5.14 lb        |

## DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code

1099425X-21

Code Ref.



#### **TECHNICAL INFORMATION**

| Color  | Aluminium - 21 |
|--------|----------------|
| Weight | 12.46 lb       |

#### SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code

1099424X-21

Code Ref.



## TECHNICAL INFORMATION

| Color  | Aluminium - 21 |
|--------|----------------|
| Weight | 6.17 lb        |