



# CONO (Model)



## TECHNICAL INFORMATION

[IES Files](#) ↓

|                      |   |
|----------------------|---|
| <b>Watt</b>          | 35W   |
| <b>Luminaire</b>     | Up to 5250lm  |
| <b>CCT</b>           | 3000K – 4000K - DarkSky approved for CCTs of 3000K or lower |
| <b>CRI</b>           | >80   |
| <b>Wiring</b>        | 120-277V 60Hz / 0-10V                                       |
| <b>LED life time</b> | > 60000h - L80 - B20 (Ta 25°C)                              |
| <b>Color</b>         | Grey - 16 / Aluminium - 21                                  |

## DESCRIPTION

### Construction

- Die-cast aluminium body (EN 47100).
- Double layer polyester powder paint resistant to corrosion and salt spray fog.
- Silicone rubber gaskets.
- AISI 316 stainless steel external screws.

### Electrical & Optics

- Universal input voltage: 120-277V 50/60Hz.
- 0-10V dimming available.
- Wiring on removable galvanized steel tray.
- High-efficacy LEDs with standard 3000K, 4000K (2700K or other CCTs available on request).
- PMMA lenses for LEDs.
- Screen made of 3/16" thermal-shock resistant tempered glass.

### Listings

- UL certified to U.S. and Canadian standards, suitable for wet locations (cULus mark).
- DarkSky approved for CCTs of 3000K or lower.
- Rated IP66 per EN60598.
- Luminaire rated for -40°C minimum ambient temperature.
- High quality LED sources characterized according to IES TM-30, with high color consistency <3SDCM and long useful life >60000 hours at L80.

### Installation

- Bracket installation (Ø60mm tenon).

IP66



## VERSIONS *(Click on below link to configure your product)*



[comfort](#)




[performance](#)

Size:  
Ø 11" 13/16  
13"

Size:  
Ø 11" 13/16  
13"

## OPTICS




See accessories in the next page

## PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code **1099086X-16**

Code Ref.

**TECHNICAL INFORMATION**


|              |           |
|--------------|-----------|
| <b>Color</b> | Grey - 16 |
|--------------|-----------|

|               |        |
|---------------|--------|
| <b>Weight</b> | 1.9 lb |
|---------------|--------|

## PAINTED STEEL Ø 60 MM ARM.

Arcluce Code **1099067X-16**

Code Ref.

**TECHNICAL INFORMATION**


|              |           |
|--------------|-----------|
| <b>Color</b> | Grey - 16 |
|--------------|-----------|

|               |          |
|---------------|----------|
| <b>Weight</b> | 15.65 lb |
|---------------|----------|

## POLE ATTACHMENT FOR 1 LIGHT FITTING.

Arcluce Code **1099071X-16**

Code Ref.

**TECHNICAL INFORMATION**


|              |           |
|--------------|-----------|
| <b>Color</b> | Grey - 16 |
|--------------|-----------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 3.97 lb |
|---------------|---------|

## PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code **1099073X-16**

Code Ref.

**TECHNICAL INFORMATION**


|              |           |
|--------------|-----------|
| <b>Color</b> | Grey - 16 |
|--------------|-----------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 5.14 lb |
|---------------|---------|

## DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code **1099425X-16**

Code Ref.

**TECHNICAL INFORMATION**


|              |           |
|--------------|-----------|
| <b>Color</b> | Grey - 16 |
|--------------|-----------|

|               |          |
|---------------|----------|
| <b>Weight</b> | 12.46 lb |
|---------------|----------|

## SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code **1099424X-16**

Code Ref.

**TECHNICAL INFORMATION**


|              |           |
|--------------|-----------|
| <b>Color</b> | Grey - 16 |
|--------------|-----------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 6.17 lb |
|---------------|---------|

## PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code **1099086X-21**

Code Ref.

**TECHNICAL INFORMATION**


|              |                |
|--------------|----------------|
| <b>Color</b> | Aluminium - 21 |
|--------------|----------------|

|               |        |
|---------------|--------|
| <b>Weight</b> | 1.9 lb |
|---------------|--------|

## PAINTED STEEL Ø 60 MM ARM.

Arcluce Code **1099067X-21**

Code Ref.

**TECHNICAL INFORMATION**


|              |                |
|--------------|----------------|
| <b>Color</b> | Aluminium - 21 |
|--------------|----------------|

|               |          |
|---------------|----------|
| <b>Weight</b> | 15.65 lb |
|---------------|----------|

## PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099071X-21**

Code Ref.

**TECHNICAL INFORMATION**


|              |                |
|--------------|----------------|
| <b>Color</b> | Aluminium - 21 |
|--------------|----------------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 3.97 lb |
|---------------|---------|

## PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code **1099073X-21**

Code Ref.

**TECHNICAL INFORMATION**


|              |                |
|--------------|----------------|
| <b>Color</b> | Aluminium - 21 |
|--------------|----------------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 5.14 lb |
|---------------|---------|

## DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code **1099425X-21**

Code Ref.

**TECHNICAL INFORMATION**


|              |                |
|--------------|----------------|
| <b>Color</b> | Aluminium - 21 |
|--------------|----------------|

|               |          |
|---------------|----------|
| <b>Weight</b> | 12.46 lb |
|---------------|----------|

## SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code **1099424X-21**

Code Ref.

**TECHNICAL INFORMATION**

|              |                |
|--------------|----------------|
| <b>Color</b> | Aluminium - 21 |
|--------------|----------------|

|               |         |
|---------------|---------|
| <b>Weight</b> | 6.17 lb |
|---------------|---------|