



CONO (Model)



TECHNICAL INFORMATION

[IES Files](#) ↓

| | |
|----------------------|---|
| Watt | 35W |
| Luminaire | Up to 5250lm |
| CCT | 3000K – 4000K - DarkSky approved for CCTs of 3000K or lower |
| CRI | >80 |
| Wiring | 120-277V 60Hz / 0-10V |
| LED life time | > 60000h - L80 - B20 (Ta 25°C) |
| Color | Grey - 16 / Aluminium - 21 |

DESCRIPTION

Construction

- Die-cast aluminium body (EN 47100).
- Double layer polyester powder paint resistant to corrosion and salt spray fog.
- Silicone rubber gaskets.
- AISI 316 stainless steel external screws.

Electrical & Optics

- Universal input voltage: 120-277V 50/60Hz.
- 0-10V dimming available.
- Wiring on removable galvanized steel tray.
- High-efficacy LEDs with standard 3000K, 4000K (2700K or other CCTs available on request).
- PMMA lenses for LEDs.
- Screen made of 3/16" thermal-shock resistant tempered glass.

Listings

- UL certified to U.S. and Canadian standards, suitable for wet locations (cULus mark).
- DarkSky approved for CCTs of 3000K or lower.
- Rated IP66 per EN60598.
- Luminaire rated for -40°C minimum ambient temperature.
- High quality LED sources characterized according to IES TM-30, with high color consistency <3SDCM and long useful life >60000 hours at L80.

Installation

- Bracket installation (Ø60mm tenon).

IP66



VERSIONS *(Click on below link to configure your product)*



[comfort](#)

Size:
Ø 11" 13/16
13"




[performance](#)

Size:
Ø 11" 13/16
13"



OPTICS




See accessories in the next page

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code **1099086X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|--------|
| Weight | 1.9 lb |
|---------------|--------|

PAINTED STEEL Ø 60 MM ARM.

Arcluce Code **1099067X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|----------|
| Weight | 15.65 lb |
|---------------|----------|

POLE ATTACHMENT FOR 1 LIGHT FITTING.

Arcluce Code **1099071X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 3.97 lb |
|---------------|---------|

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code **1099073X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 5.14 lb |
|---------------|---------|

DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code **1099425X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|----------|
| Weight | 12.46 lb |
|---------------|----------|

SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code **1099424X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 6.17 lb |
|---------------|---------|

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code **1099086X-21**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|--------|
| Weight | 1.9 lb |
|---------------|--------|

PAINTED STEEL Ø 60 MM ARM.

Arcluce Code **1099067X-21**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|----------|
| Weight | 15.65 lb |
|---------------|----------|

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099071X-21**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 3.97 lb |
|---------------|---------|

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code **1099073X-21**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 5.14 lb |
|---------------|---------|

DOUBLE POLE ATTACHMENT WITH CURVED ARMS IN PAINTED STEEL.

Arcluce Code **1099425X-21**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|----------|
| Weight | 12.46 lb |
|---------------|----------|

SINGLE POLE ATTACHMENT WITH CURVED ARM IN PAINTED STEEL.

Arcluce Code **1099424X-21**

Code Ref.

**TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 6.17 lb |
|---------------|---------|