

# EMPHASIS (Model)



## TECHNICAL INFORMATION

[IES Files](#) 

Watt	34W – 68W
Luminaire	Up to 7400lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Grey - 16 / Aluminium - 21

## DESCRIPTION



## VERSIONS *(Click on below link to configure your product)*



[oneway](#)



[twoway](#)

Size:  
16" 17/32  
7" 23/32  
8" 1/16

Size:  
16" 17/32  
7" 23/32  
8" 1/16



## OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097020X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097021X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097022X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097023X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097019X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	61.73 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT.

Arcluce Code **1099083X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT.

Arcluce Code **1099001X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	10.58 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097020X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097021X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097022X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097023X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097019X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	61.73 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT.

Arcluce Code       **1099083X-21**  
Code Ref.




TECHNICAL INFORMATION

<b>Color</b>	Aluminium - 21
<b>Weight</b>	5.51 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT.

Arcluce Code       **1099001X-21**  
Code Ref.



TECHNICAL INFORMATION

<b>Color</b>	Aluminium - 21
<b>Weight</b>	10.58 lb