

# KLOU-IK180 (Model)



TECHNICAL INFORMATION		<u>IES Files</u> ↓
Watt	6W – 25W	
Luminaire	Up to 1950lm	
ССТ	3000K – 4000K	
CRI	>80	
Wiring		
LED life time	> 60000h - L80 - B20 (Ta 25°C)	
Color	Grey - 16 / Aluminium - 21	

#### **DESCRIPTION**



**IP66** 

# **VERSIONS** (Click on below link to configure your product)





Size:

Ø 7" 1/4

10" 1/4 to



Size:

Ø 7" 1/4

10" 1/4 to 38" 3/16



Size:

Ø 7" 1/4

38" 3/16



Size:

Ø 7" 1/4

38" 3/16



Size:

Ø 7" 1/4

38" 3/16



Size:

Ø 7" 1/4

38" 3/16

IK10



# OPTICS

Size:

Ø 7" 1/4

10" 1/4 to












### HOT DIPPED ZINC-COATED STEEL BASEMENT FOR GROUND ANCHORING.

Arcluce Code

1099092X

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Chrome - 31
Weight	11.02 lb

#### ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.

Arcluce Code

1099398X-16

Code Ref.



#### **TECHNICAL INFORMATION**

Color	Grey - 16
Weight	3.09 lb

IP68 LINEAR JOINT - 2 WAYS - 2 POLES.

Arcluce Code

1099408X

Code Ref.



#### **TECHNICAL INFORMATION**

0.07 lb Weight

JUNCTION BOX IP68 - 4 WAYS - 2/3 POLES.

Arcluce Code

1099259X

Code Ref.



#### **TECHNICAL INFORMATION**

Weight 0.11 lb




# ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.

Arcluce Code Code Ref.

1099398X-21





#### **TECHNICAL INFORMATION**

Color	Aluminium - 21
Weight	3.09 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS. 150 MM HIGH.

Arcluce Code Code Ref.

1099405X-21



#### **TECHNICAL INFORMATION**

Color	Aluminium - 21
Weight	1.54 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS. 150 MM HIGH.

Arcluce Code

1099405X-16

Code Ref.



#### **TECHNICAL INFORMATION**

Color	Grey - 16
Weight	1.54 lb