

KLOU-IK180 (Model)



TECHNICAL INFORMATION

[IES Files](#) 








Watt	6W – 26W
Luminaire	Up to 1400lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Grey - 16 / Aluminium - 21

DESCRIPTION




VERSIONS *(Click on below link to configure your product)*



						
oneway	twoway	radial	radial - 24Vdc	oneway (Smart Functions)	twoway (Smart Functions)	radial (Smart Functions)
Size: Ø 7" 1/4 9" 27/32 to 39" 3/8	Size: Ø 7" 1/4 9" 27/32 to 39" 3/8	Size: Ø 7" 1/4 9" 27/32 to 39" 3/8	Size: Ø 7" 1/4 39" 3/8	Size: Ø 7" 1/4 39" 3/8	Size: Ø 7" 1/4 39" 3/8	Size: Ø 7" 1/4 39" 3/8



OPTICS



See accessories in the next page

HOT DIPPED ZINC-COATED STEEL BASEMENT FOR GROUND ANCHORING.


Arcluce Code **1099092X**
Code Ref.



TECHNICAL INFORMATION	
Color	Chrome - 31
Weight	11.02 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.

Arcluce Code **1099398X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	3.09 lb

IP68 LINEAR JOINT - 2 WAYS - 2 POLES.


Arcluce Code **1099408X**
Code Ref.



TECHNICAL INFORMATION	
Weight	0.07 lb

JUNCTION BOX IP68 - 4 WAYS - 2/3 POLES.


Arcluce Code **1099259X**
Code Ref.



TECHNICAL INFORMATION	
Weight	0.11 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.


Arcluce Code **1099398X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	3.09 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS. 150 MM HIGH.


Arcluce Code **1099405X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.54 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS. 150 MM HIGH.

Arcluce Code **1099405X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.54 lb