

# KLOU150 (Model)



## TECHNICAL INFORMATION

[IES Files](#) ↓

<b>Watt</b>	8W – 15W
<b>Luminaire</b>	Up to 1400lm
<b>CCT</b>	3000K – 4000K
<b>CRI</b>	>80
<b>Wiring</b>	
<b>LED life time</b>	> 60000h - L80 - B20 (Ta 25°C)
<b>Color</b>	Aluminium - 21 / Grey - 16 / Black - 12

## DESCRIPTION



## VERSIONS *(Click on below link to configure your product)*


IP66

<a href="#">short (radial)</a>	<a href="#">short (oneway)</a>	<a href="#">comfort (oneway)</a>	<a href="#">comfort (radial)</a>	<a href="#">classic (grey optic, radial)</a>	<a href="#">classic (gray optic, oneway)</a>	<a href="#">classic (black optic, radial)</a>	<a href="#">classic (black optic, oneway)</a>	<a href="#">classic plus (grey optic, radial)</a>	<a href="#">classic plus (grey optic, oneway)</a>	<a href="#">classic plus (black optic, radial)</a>	<a href="#">classic plus (black optic, oneway)</a>
Size: Ø 5" 29/32 17" 29/32 to 29" 23/32	Size: Ø 5" 29/32 17" 29/32 to 29" 23/32	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2	Size: Ø 5" 29/32 19" 11/16 to 31" 1/2

IK10

0,12m<sup>2</sup>

## OPTICS



0,12m<sup>2</sup>

850°




See accessories in the next page

## HOT DIPPED ZINC-COATED STEEL BASEMENT FOR GROUND ANCHORING.

Arcluce Code **1099674X**

Code Ref.

**TECHNICAL INFORMATION**


<b>Color</b>	Chrome - 31
--------------	-------------

<b>Weight</b>	4.41 lb
---------------	---------

## ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS.

Arcluce Code **1099675X-21**

Code Ref.

**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
--------------	----------------

<b>Weight</b>	3.09 lb
---------------	---------

## JUNCTION BOX IP68 - 4 WAYS - 4/5 POLES.

Arcluce Code **1099407X**

Code Ref.

**TECHNICAL INFORMATION**

<b>Weight</b>	0.18 lb
---------------	---------

## IP68 LINEAR JOINT - 2 WAYS - 2 POLES.

Arcluce Code **1099408X**

Code Ref.


**TECHNICAL INFORMATION**

<b>Weight</b>	0.07 lb
---------------	---------

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS.

Arcluce Code **1099675X-16**

Code Ref.



**TECHNICAL INFORMATION**


**Color** Grey - 16

**Weight** 3.09 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS.

Arcluce Code **1099675X-12**

Code Ref.



**TECHNICAL INFORMATION**

**Color** Black - 12

**Weight** 3.09 lb