

KLOU180 (Model)

hort sh adial) (o 7" 5/32 Ø ' 15/32 to 7"		low link to configure	Watt Luminain CCT CRI Wiring LED life Color	time		m		16		С € ІР66
/ERSIONS		low link to configure	CCT CRI Wiring LED life Color	time	3000K - 400 >80 > 60000h - I	00K L80 - B20 (Ta		16		
/ERSIONS		low link to configure	CRI Wiring LED life Color		>80 > 60000h - I	L80 - B20 (Ta		· 16		
/ERSIONS		low link to configure	Wiring LED life Color		> 60000h - I			· 16		
/ERSIONS		low link to configure	LED life Color					16		
/ERSIONS		low link to configure	Color					16		
/ERSIONS		low link to configure		luct)	Aluminium -	21 / Black -	· 12 / Grey -	16		
/ERSIONS		low link to configure	e your prod	luct)						
	short (oneway) comfor (radial) Size: Size: Ø 7" 5/32 Ø 7" 5/7 Ø 7" 5/32 to 9" 27/3 35" 7/16 37" 25/	tial) (oneway) 9: Size: * 5/32 Ø 7* 5/32 7/32 to 9* 27/32 to	Classic (grey optic, radial) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	Classic (gray optic, oneway) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	classic (black optic, radial) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	classic (black optic, oneway) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	Classic plus (grey optic, radial) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	classic plus (grey optic, oneway) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	classic plus (black optic, radial) Size: Ø 7" 5/32 9" 27/32 to 37" 25/32	Glassic plus (blac optic, orieway) size: Ø 7" 5/32 9" 27/32 to 37" 25/62
										- 2.15 ft ²
•										850 850

See accessories in the next page



HOT DIPPED ZINC-COATED STEEL BASEMENT FOR GROUND ANCHORING.

Arcluce Code	1099092X
Code Ref.	

Color	Chrome - 31	
Weight	11.02 lb	

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS. 150 MM HIGH.

Arcluce Code Code Ref.

ш

TECHNICAL IN	FORMATION
Color	Aluminium - 21
Weight	1.54 lb

JUNCTION BOX IP68 - 4 WAYS - 4/5 POLES.

1099405X-21

Arcluce Code	1099407X
Code Ref.	

Weight	0.18 lb	

IP68 LINEAR JOINT - 2 WAYS - 4 POLES.

1099410X				
TECHNICAL IN	FORMATION			
Weight	0.07 lb			
	TECHNICAL IN	TECHNICAL INFORMATION	TECHNICAL INFORMATION	TECHNICAL INFORMATION



Arcluce Code Code Ref.	1099770X			
	TECHNICAL IN	FORMATION		
	Weight	0.44 lb		

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.

Arcluce Code **1099398X-21** Code Ref.

A	TECHNICAL IN	FORMATION
	Color	Aluminium - 21
в	Weight	3.09 lb

IP68 LINEAR JOINT - 2 WAYS - 2 POLES.

Arcluce Code 10 Code Ref.

1099408X



Arcluce Code Code Ref.

1099405X-12

 Color
 Black - 12

 Weight
 1.54 lb



ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.

Arcluce Code 1099398X-16 Code Ref.

A	TECHNICAL IN	IFORMATION
	Color	Grey - 16
в	Weight	3.09 lb

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH ZINC-COATED STEEL STUD BOLTS. 350 MM HIGH.

Arcluce Code Code Ref.

	TECHNICAL IN	ORMATION		
		Color	Black - 12	
	В	Weight	3.09 lb	

ZINC-COATED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS. 150 MM HIGH.

Arcluce Code Code Ref. 1099405X-16

1099398X-12



TECHNICAL INFORMATION

Color	Grey - 16
Weight	1.54 lb