



LUNIO-STREET (Model)

[IES Files](#)



TECHNICAL INFORMATION

Watt	35W – 70W
Luminaire	Up to 7200lm
CCT	3000K – 4000K
CRI	>80
Wiring	120-277V 60Hz / 0-10V
LED life time	> 100000h - L80 - B20 (Ta 25°C)
Color	Dark bronze - 26 / Aluminium - 21 / Grey - 16 / Black - 12

DESCRIPTION

Construction

- Die-cast aluminium body (EN 47100).
- Double layer polyester powder paint resistant to corrosion and salt spray fog.
- Silicone rubber gaskets.
- AISI 316 stainless steel external screws.

Electrical & Optics

- Universal input voltage: 120-277V 50/60Hz.
- 0-10V dimming available.
- Driver protected against voltage surges up to 6kV.
- Wiring on removable galvanized steel tray.
- High-efficacy LEDs with standard 3000K, 4000K (2700K or other CCTs available on request).
- PMMA lenses for LEDs.
- Screen made of 5/32" thermal-shock resistant tempered glass.

Listings

- UL certified to U.S. and Canadian standards, suitable for wet locations (cULus mark).
- Rated IP66 per EN60598.
- Luminaire rated for -40°C minimum ambient temperature.
- High quality LED sources characterized according to IES TM-30, with high color consistency <3SDCM and long useful life >60000 hours at L80.

Installation

- Post-top installation (Ø 2" 3/8 tenon).
- Available wired with Zhaga Book 18 or NEMA ANSI C136.41 (5-pin) and waterproof cover. For the Zhaga Book 18 version add at the end of the code the suffix "ZU" for the version with adapter at the top, or "ZD" for the version with adapter at the bottom, or "ZB" for the version with adapter both at the top and at the bottom. For the NEMA ANSI C136.41 version, add the suffix "NU" at the end of the code for the version with adapter at the top.

IP66




VERSIONS *(Click on below link to configure your product)*



[lunio-street](#)

Size:
 Ø 20" 15/32
 5" 1/2
 27" 9/16

OPTICS




See accessories in the next page

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099090X-26**

Code Ref.



TECHNICAL INFORMATION


Color	Dark bronze - 26
--------------	------------------

Weight	3.53 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (SUITABLE FOR PRODUCTS WITH A 60MM DIAMETER CONNECTION).

Arcluce Code **1099089X-26**

Code Ref.



TECHNICAL INFORMATION


Color	Dark bronze - 26
--------------	------------------

Weight	4.63 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099088X-26**

Code Ref.



TECHNICAL INFORMATION


Color	Dark bronze - 26
--------------	------------------

Weight	4.85 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099087X-26**

Code Ref.



TECHNICAL INFORMATION


Color	Dark bronze - 26
--------------	------------------

Weight	7.72 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM WALL BRACKET.

Arcluce Code **1099069X-26**

Code Ref.



TECHNICAL INFORMATION


Color	Dark bronze - 26
--------------	------------------

Weight	2.65 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099090X-21**

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
--------------	----------------

Weight	3.53 lb
---------------	---------

ANGULAR WALL ATTACHMENT 15° Ø=60 ALUMINIUM (RAL 9005)

Arcluce Code **1099616X-21**

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
--------------	----------------

Weight	4.85 lb
---------------	---------

WALL ATTACHMENT WITH 15° ANGLED ARM, LENGTH: 250MM, Ø=60MM - COLOR: ALUMINIUM -21

Arcluce Code **1099617X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
--------------	----------------

Weight	4.85 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (SUITABLE FOR PRODUCTS WITH A 60MM DIAMETER CONNECTION).
Arcluce Code **1099089X-21**

Code Ref.


**TECHNICAL INFORMATION**

Color	Aluminium - 21
--------------	----------------

Weight	4.63 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT (Ø 102 MM).
Arcluce Code **1099088X-21**

Code Ref.


**TECHNICAL INFORMATION**

Color	Aluminium - 21
--------------	----------------

Weight	4.85 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (Ø 102 MM).
Arcluce Code **1099087X-21**

Code Ref.


**TECHNICAL INFORMATION**

Color	Aluminium - 21
--------------	----------------

Weight	7.72 lb
---------------	---------


PAINTED DIE-CAST ALUMINIUM WALL BRACKET.
Arcluce Code **1099069X-21**

Code Ref.


**TECHNICAL INFORMATION**

Color	Aluminium - 21
--------------	----------------


Weight	2.65 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.
Arcluce Code 1099090X-16
Code Ref.

TECHNICAL INFORMATION
Color Grey - 16


Weight 3.53 lb

ANGULAR WALL ATTACHMENT 15° Ø=60 GREY, SIMILAR TO (RAL 7024)
Arcluce Code 1099616X-16
Code Ref.

TECHNICAL INFORMATION
Color Grey - 16

Weight 4.85 lb

WALL ATTACHMENT WITH 15° ANGLED ARM, LENGTH: 250MM, Ø=60MM - COLOR: GREY -16
Arcluce Code 1099617X-16
Code Ref.

TECHNICAL INFORMATION
Color Grey - 16

Weight 4.85 lb


PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (SUITABLE FOR PRODUCTS WITH A 60MM DIAMETER CONNECTION).
Arcluce Code 1099089X-16
Code Ref.

TECHNICAL INFORMATION
Color Grey - 16

Weight 4.63 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099088X-16**

Code Ref.

**TECHNICAL INFORMATION**


Color	Grey - 16
--------------	-----------

Weight	4.85 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099087X-16**

Code Ref.

**TECHNICAL INFORMATION**


Color	Grey - 16
--------------	-----------

Weight	7.72 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM WALL BRACKET.

Arcluce Code **1099069X-16**

Code Ref.

**TECHNICAL INFORMATION**


Color	Grey - 16
--------------	-----------

Weight	2.65 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099090X-12**

Code Ref.

**TECHNICAL INFORMATION**


Color	Black - 12
--------------	------------

Weight	3.53 lb
---------------	---------

ANGULAR WALL ATTACHMENT 15° Ø=60 (BLACK)

Arcluce Code **1099616X-12**

Code Ref.

**TECHNICAL INFORMATION**


Color	Black - 12
--------------	------------

Weight	4.85 lb
---------------	---------

WALL ATTACHMENT WITH 15° ANGLED ARM, LENGTH: 250MM, Ø=60MM - COLOR: BLACK -12.

Arcluce Code **1099617X-12**

Code Ref.

**TECHNICAL INFORMATION**


Color	Black - 12
--------------	------------

Weight	4.85 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (SUITABLE FOR PRODUCTS WITH A 60MM DIAMETER CONNECTION).

Arcluce Code **1099089X-12**

Code Ref.

**TECHNICAL INFORMATION**


Color	Black - 12
--------------	------------

Weight	4.63 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099088X-12**

Code Ref.

**TECHNICAL INFORMATION**


Color	Black - 12
--------------	------------

Weight	4.85 lb
---------------	---------

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099087X-12**


Code Ref.

**TECHNICAL INFORMATION****Color** Black - 12**Weight** 7.72 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET.

Arcluce Code **1099069X-12**

Code Ref.

**TECHNICAL INFORMATION****Color** Black - 12**Weight** 2.65 lb