

**LUNIO** (Model)



**TECHNICAL INFORMATION**

[IES Files](#) 

Watt	30W – 110W
Luminaire	Up to 10150lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Grey - 16 / Aluminium - 21 / Black - 12

**DESCRIPTION**



**VERSIONS** *(Click on below link to configure your product)*



[comfort](#)




[performance](#)

Size:  
Ø 20" 15/32  
14" 27/32

Size:  
Ø 20" 15/32  
14" 27/32




**OPTICS**



See accessories in the next page

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099098X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099097X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099096X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097016X-16**  
Code Ref.




TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097017X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097018X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097036X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097037X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097038X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097001X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097004X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097008X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097012X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097015X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	110.23 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code       **1099098X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code       **1099097X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099096X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.


Arcluce Code       **1097016X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.


Arcluce Code       **1097017X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097018X-21**  
Code Ref.




TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097036X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097037X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097038X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097001X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097004X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097008X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097012X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097015X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	110.23 lb



PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099098X-12**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099097X-12**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099096X-12**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097016X-12**  
Code Ref.




TECHNICAL INFORMATION	
<b>Color</b>	Black - 12
<b>Weight</b>	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097017X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097018X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097036X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097037X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097038X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097001X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097004X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097008X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097012X-12**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097015X-12**

Code Ref.



**TECHNICAL INFORMATION**

<b>Color</b>	Black - 12
<b>Weight</b>	110.23 lb