

LUNIO (Model)



TECHNICAL INFORMATION		<u>IES Files</u>
Watt	30W – 110W	
Luminaire	Up to 10150lm	
ССТ	3000K – 4000K	
CRI	>80	
Wiring		
LED life time	> 60000h - L80 - B20 (Ta 25°C)	
Color	Grey - 16 / Aluminium - 21 / Black - 12	

DESCRIPTION



IP66

VERSIONS (Click on below link to configure your product)







comfort





OPTICS












PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099098X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099097X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099096X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097016X-16

Code Ref.




Color	Grey - 16
Weight	46.3 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097017X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097018X-16

Code Ref.



TECHNICAL INFORMATION

Color	Grey - 16
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097036X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097037X-16

Code Ref.




Color	Grey - 16
Weight	85.98 lb



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097038X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097001X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097004X-16

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097008X-16

Code Ref.




Color	Grey - 16
Weight	94.8 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097012X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097015X-16

Code Ref.



TECHNICAL INFORMATION


Color	Grey - 16
Weight	110.23 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099098X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099097X-21

Code Ref.



Color	Aluminium - 21
Weight	7.72 lb




PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099096X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097016X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097017X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097018X-21

Code Ref.




Color	Aluminium - 21
Weight	57.32 lb



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097036X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097037X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097038X-21

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097001X-21

Code Ref.




Color	Aluminium - 21
Weight	77.16 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097004X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097008X-21

Code Ref.



TECHNICAL INFORMATION


Color	Aluminium - 21
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097012X-21

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097015X-21

Code Ref.



Color	Aluminium - 21
Weight	110.23 lb




PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099098X-12

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099097X-12

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099096X-12

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097016X-12

Code Ref.




Color	Black - 12
Weight	46.3 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097017X-12**

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097018X-12

Code Ref.



TECHNICAL INFORMATION

Color	Black - 12
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097036X-12

Code Ref.



TECHNICAL INFORMATION

Color	Black - 12
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097037X-12

Code Ref.




Color	Black - 12
Weight	85.98 lb



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097038X-12

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \varnothing 102 MM WITH \varnothing 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097001X-12

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097004X-12

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097008X-12

Code Ref.




Color	Black - 12
Weight	94.8 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097012X-12

Code Ref.



TECHNICAL INFORMATION


Color	Black - 12
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097015X-12

Code Ref.



Color	Black - 12
Weight	110.23 lb