

CE

IP66

IK08

ျို

1.72 ft<sup>2</sup>

# LUNIO7 (Model)



| TECHNICAL IN  | ECHNICAL INFORMATION IES Files          |  |
|---------------|---|--|
| Watt          | 21W – 77W                               |  |
| Luminaire     | Up to 10850lm                           |  |
| ССТ           | 3000K – 4000K                           |  |
| CRI           | >80                                     |  |
| Wiring        |   |  |
| LED life time | > 60000h - L80 - B20 (Ta 25°C)          |  |
| Color         | Aluminium - 21 / Black - 12 / Grey - 16 |  |

#### DESCRIPTION


#### **VERSIONS** (Click on below link to configure your product)



lunio7


Size: Ø 20" 15/32 24" 11/16

#### OPTICS





## CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097016X-21 Code Ref.



| TECHNICAL INFORMATION |                |  |
|-----------------------|----------------|--|
| Color                 | Aluminium - 21 |  |
| Weight                | 46.3 lb        |  |

### CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097017X-21

Code Ref.

| T. R. | TECHNICAL IN | FORMATION      |
|-------|--------------|----------------|
|       | Color        | Aluminium - 21 |
| В     | Weight       | 52.91 lb       |
|       |              |                |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097018X-21

Code Ref.

В

| TECHNICAL INFORMATION |                |  |
|-----------------------|----------------|--|
| Color                 | Aluminium - 21 |  |
| Weight                | 57.32 lb       |  |


CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097036X-21 Code Ref.

| 1 |  |
|---|--|
| В |  |

| Aluminium - 21 |
|----------------|
| 79.37 lb       |
| -              |



## CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097037X-21 Code Ref.



| Color  | Aluminium - 21 |  |
|--------|----------------|--|
| Weight | 85.98 lb       |  |

#### CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097038X-21

Code Ref.


|   | TECHNICAL INF | FORMATION      |
|---|---------------|----------------|
|   | Color         | Aluminium - 21 |
| В | Weight        | 92.59 lb       |
|   |               |                |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097016X-12

Code Ref.

| TECHNICAL INFORMATION |
|-----------------------|
|                       |

TECHNICAL INFORMATION



| Color  | Black - 12 |
|--------|------------|
| Weight | 46.3 lb    |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097017X-12 Code Ref.


| -~~ |  |
|-----|--|
|     |  |

| <b>TECHNICAL</b> | NFORMATION |
|------------------|------------|
|                  |            |

| Color  | Black - 12 |  |
|--------|------------|--|
| Weight | 52.91 lb   |  |



## CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097018X-12 Code Ref.



| TECHNICAL INFORMATION |  |
|-----------------------|--|
| Black - 12            |  |
| 57.32 lb              |  |
| _                     |  |

#### CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097036X-12

Code Ref.

|   | TECHNICAL IN | FORMATION  |
|---|--------------|------------|
|   | Color        | Black - 12 |
| В | Weight       | 79.37 lb   |
|   |              |            |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097037X-12 Code Ref.

| ] |  |
|---|--|
| В |  |

| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Black - 12            |            |
| 85.98 lb              |            |
|                       | Black - 12 |


CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097038X-12 Code Ref.

| B |  |
|---|--|

| TECHNICAL IN | TECHNICAL INFORMATION |  |  |  |
|--------------|-----------------------|--|--|--|
| Color        | Black - 12            |  |  |  |
| Weight       | 92.59 lb              |  |  |  |



## CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097016X-16 Code Ref.



| TECHNICAL INFORMATION |  |  |  |
|-----------------------|--|--|--|
| Grey - 16             |  |  |  |
| 46.3 lb               |  |  |  |
| -                     |  |  |  |

#### CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097017X-16

Code Ref.

|   | TECHNICAL INI | ORMATION  |
|---|---------------|-----------|
|   | Color         | Grey - 16 |
| B | Weight        | 52.91 lb  |
|   |               |           |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097018X-16

Code Ref.

В

| TECHNICAL INFORMATION |           |  |
|-----------------------|-----------|--|
| Color                 | Grey - 16 |  |
| Weight                | 57.32 lb  |  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097036X-16 Code Ref.


| 1 |    |
|---|----|
| В |    |
| в | CI |

| Color  | Grey - 16 |  |  |  |
|--------|-----------|--|--|--|
| Weight | 79.37 lb  |  |  |  |

TECHNICAL INFORMATION



## CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097037X-16 Code Ref.



| TECHNICAL INFORMATION |           |  |
|-----------------------|-----------|--|
| Color                 | Grey - 16 |  |
| Weight                | 85.98 lb  |  |

#### CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097038X-16

Code Ref.



| TECHNICAL INFORMATION |           |  |
|-----------------------|-----------|--|
| Color                 | Grey - 16 |  |
| Weight                | 92.59 lb  |  |