

PANTHEON

arcluce-us.com  pantheon



DESCRIPTION

Luminaire

- Die-cast aluminium body and trim (EN 47100).
- Double layer polyester powder paint resistant to corrosion and salt spray fog.
- Silicone rubber gaskets.
- AISI 316 stainless steel external screws.
- Wiring on removable galvanized steel tray.
- Reflector made of 99,98 anodized aluminium with non-iridescent specular finishing.
- Screen made of 3/16" thermal-shock resistant tempered glass.
- Goniometer scale to aim light.

Electrical

- Nominal LED efficacy up to 144lumen/Watt (4000K - 1400mA - CRI>70 - Tj=85°C).
- LED life time: >50000h with L80.
- High colour consistency: <3 SDCM.
- LED driver protected against voltage spikes.
- Integral LED driver. Available with DALI and 0-10V dimming option.

Installation

- Double M20 cable gland for through wiring.
- Galvanized and painted steel support bracket.

TECHNICAL INFORMATION

Luminaire power:	58W
Source lumen:	7400lm
LED:	3000K - 4000K, CRI>70



PANTHEON


16 21

Family	Model	Mandatory field *	Size	Optics	CCT	Fixture color	Wiring
W- Floodlight	PA Pantheon	0	2	2 Medium	3 3000K	US- 16 Grey	F 277V 60Hz 0-10V
				4 Wide flood	4 4000K	US- 21 Aluminium	


* Default value to codify the item.



Weight: 21.38 lb




Optics



Accessories


Code 1099204X+12	Code 1099246X	Code 1099254X	Code 1099109X+12
lb 2.20	lb 0.33	lb 1.43	lb 2.20
Powder-paint aluminium visor.	Chrome-plated steel protection grid.	Lens for elliptic beam.	Louvre. It prevents light dispersion and glare effect.

Pole mounting accessories




Code	lb	
1099080X	1.43	<input checked="" type="radio"/> 16
		<input type="radio"/> 21

Pole mounting \varnothing 2" $\frac{3}{8}$ " for 1 light fitting.




Code	lb	
1099079X	1.54	<input checked="" type="radio"/> 16
		<input type="radio"/> 21

Pole mounting \varnothing 2" $\frac{3}{8}$ " for 2 light fittings.



Code	lb	
1099084X	9.48	

Pole bracket for 1 light fitting.



Code	lb	
1099081X	9.92	

Pole bracket for 2 light fittings.



Code	lb	
1099085X	8.81	

Pole bracket for 1 light fitting.

Code	lb	
1099082X	9.26	

Pole bracket for 2 light fittings.

