

PANTHEON2 (Model)



TECHNICAL INFORMATION

[IES Files](#) 

Watt	41W – 79W
Luminaire	Up to 8800lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Black - 12 / Grey - 16 / Aluminium - 21

DESCRIPTION



VERSIONS *(Click on below link to configure your product)*



[pantheon2](#)

Size:
Ø 12" 7/16
16" 15/32
16" 23/32



OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	255.74 lb

GLASS LENS FOR ELLIPTIC BEAM.

Arcluce Code **1099254X**
Code Ref.



TECHNICAL INFORMATION

Weight	1.43 lb
---------------	---------

PAINTED STEEL GLARE-CONTROL LOUVRED.

Arcluce Code **1099109X-12**
Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
--------------	------------

Weight	2.2 lb
---------------	--------

CHROME-PLATED STEEL PROTECTION GRID.

Arcluce Code **1099246X**
Code Ref.



TECHNICAL INFORMATION

Weight	0.33 lb
---------------	---------

PAINTED ALUMINIUM SLOPED VISOR.

Arcluce Code **1099204X-12**
Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
--------------	------------

Weight	2.2 lb
---------------	--------

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code **1099085X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	8.82 lb

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code **1099082X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	9.26 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099084X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	9.48 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099153X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	7.17 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099151X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	12.35 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099152X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	17.64 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099472X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	3.75 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .


Arcluce Code **1099473X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	4.63 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099079X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.54 lb

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.


Arcluce Code **1099080X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.43 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.


Arcluce Code **1097003X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-21**
Code Ref.




TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	255.74 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099085X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	8.82 lb

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099082X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	9.26 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099084X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	9.48 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099153X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	7.17 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099151X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	12.35 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099152X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	17.64 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099472X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	3.75 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .


Arcluce Code **1099473X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	4.63 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099079X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.54 lb

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.

Arcluce Code **1099080X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.43 lb