

# PIXOL150 (Model)



TECHNICAL INFORMATION		<u>IES Files</u> ↓
Watt	10W – 20W	
Luminaire	Up to 1250lm	
ССТ	3000K – 4000K	
CRI	>80	
Wiring		
LED life time	> 60000h - L80 - B20 (Ta 25°C)	
Color	Grey - 16 / Aluminium - 21	

#### **DESCRIPTION**



**IP66** 

# **VERSIONS** (Click on below link to configure your product)



Size:

7" 7/8

35" 7/16

5" 29/32



Size:

11" 13/16

35" 7/16

5" 29/32





Size:

7" 7/8

35" 7/16

5" 29/32



Size:

11" 13/16

35" 7/16

5" 29/32



Size:

5" 29/32

35" 7/16

5" 29/32



Size:

5" 29/32

35" 7/16

5" 29/32



Size:

5" 29/32

35" 7/16

5" 29/32



top -twoway

Size:

5" 29/32

35" 7/16

5" 29/32







#### **OPTICS**








# ZINC-COATED STEEL PILLAR.

Arcluce Code

1099563X

Code Ref.



#### **TECHNICAL INFORMATION**


Weight 4.63 lb

#### GALVANIZED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS.

Arcluce Code

1099562X-16

Code Ref.



#### **TECHNICAL INFORMATION**

Color	Grey - 16
Weight	2.2 lb

JUNCTION BOX IP68 - 4 WAYS - 4/5 POLES.

Arcluce Code

1099407X

Code Ref.



#### **TECHNICAL INFORMATION**

Weight 0.18 lb

IP68 LINEAR JOINT - 2 WAYS - 3 POLES.

Arcluce Code

1099409X

Code Ref.



## **TECHNICAL INFORMATION**

Weight 0.07 lb




# GALVANIZED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS.

Arcluce Code

1099562X-21

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Aluminium - 21
Weight	2.2 lb

#### ZINC-COATED STEEL PILLAR.

Arcluce Code

1099565X

Code Ref.



## **TECHNICAL INFORMATION**


Weight 4.63 lb

## GALVANIZED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS.

Arcluce Code

1099564X-21

Code Ref.




#### **TECHNICAL INFORMATION**

Color Aluminium - 21
Weight 2.2 lb

#### GALVANIZED AND PAINTED STEEL BASE PLATE WITH GALVANIZED STEEL STUD BOLTS.

Arcluce Code Code Ref.

1099564X-16



## **TECHNICAL INFORMATION**

Color	Grey - 16
Weight	2.2 lb