


# PIXOL200 (Model)



## TECHNICAL INFORMATION


[IES Files](#) 

Watt	38W – 69W
Luminaire	Up to 8400lm
CCT	3000K – RGBW
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Aluminium - 21 / Grey - 16

## DESCRIPTION



## VERSIONS *(Click on below link to configure your product)*



[performance](#)

Size:

- 9" 27/32
- 6" 5/16
- 7" 7/8



## OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097003X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097007X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097011X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097014X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097028X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097029X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097030X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097031X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097002X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097006X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097010X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097013X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-21**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Aluminium - 21
<b>Weight</b>	249.12 lb

PAINTED STEEL SUPPORT BRACKET FOR ROOF EAVES.


Arcluce Code       **1099154X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.76 lb

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.


Arcluce Code       **1099080X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.43 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099079X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	1.54 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code       **1099085X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	8.82 lb

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code       **1099082X-21**  
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	9.26 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code       **1099084X-21**  
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	9.48 lb

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code       **1099081X-21**  
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	9.92 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.

Arcluce Code       **1099153X-21**  
Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	7.17 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code       **1099151X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	12.35 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code       **1099152X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	17.64 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code       **1099472X-21**  
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	3.75 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .

Arcluce Code       **1099473X-21**  
Code Ref.




TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	4.63 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097028X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097029X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097030X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097031X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097002X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097006X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097010X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097013X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-16**

Code Ref.




**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-16**

Code Ref.



**TECHNICAL INFORMATION**

<b>Color</b>	Grey - 16
<b>Weight</b>	249.12 lb

PAINTED STEEL SUPPORT BRACKET FOR ROOF EAVES.


Arcluce Code       **1099154X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.76 lb

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.


Arcluce Code       **1099080X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.43 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099079X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	1.54 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code       **1099085X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	8.82 lb

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code       **1099082X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	9.26 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code       **1099084X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	9.48 lb

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code       **1099081X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	9.92 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code       **1099153X-16**  
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	7.17 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code       **1099151X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	12.35 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code       **1099152X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	17.64 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code       **1099472X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	3.75 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .

Arcluce Code       **1099473X-16**  
Code Ref.



TECHNICAL INFORMATION	
<b>Color</b>	Grey - 16
<b>Weight</b>	4.63 lb

Arcluce Code      **1098009X**  
Code Ref.



**TECHNICAL INFORMATION**

<b>Weight</b>	1.1 lb
---------------	--------

---

Arcluce Code      **1098010X**  
Code Ref.



**TECHNICAL INFORMATION**

<b>Weight</b>	1.1 lb
---------------	--------

---