


PIXOL200 (Model)



TECHNICAL INFORMATION


[IES Files](#) ↓

| | |
|----------------------|--------------------------------|
| Watt | 38W – 69W |
| Luminaire | Up to 8400lm |
| CCT | 3000K – RGBW |
| CRI | >80 |
| Wiring | |
| LED life time | > 60000h - L80 - B20 (Ta 25°C) |
| Color | Aluminium - 21 / Grey - 16 |

DESCRIPTION



VERSIONS *(Click on below link to configure your product)*


IK08



[performance](#)

Size:

9" 27/32

6" 5/16

7" 7/8



 0.32ft²

OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-21**

Code Ref. **S7940-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-21**

Code Ref. **S7941-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-21**

Code Ref. **S7942-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-21**

Code Ref. **S7943-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-21**

Code Ref. **S7946-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-21**

Code Ref. **S7947-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-21**

Code Ref. **S7948-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-21**

Code Ref. **S7949-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097002X-21**

Code Ref. **S7961-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097006X-21**

Code Ref. **S7962-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097010X-21**

Code Ref. **S7963-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097013X-21**

Code Ref. **S7964-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097032X-21**

Code Ref. **S7966-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097033X-21**

Code Ref. **S7967-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097034X-21**

Code Ref. **S7968-21**



TECHNICAL INFORMATION


Color Aluminium - 21

Weight 171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097035X-21**

Code Ref. **S7969-21**




TECHNICAL INFORMATION

Color Aluminium - 21

Weight 249.12 lb


PAINTED STEEL SUPPORT BRACKET FOR ROOF EAVES.

Arcluce Code **1099154X-21**Code Ref. **W5158-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 1.76 lb |
|---------------|---------|


POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.

Arcluce Code **1099080X-21**Code Ref. **W8935-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 1.43 lb |
|---------------|---------|


PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code **1099079X-21**Code Ref. **W8936-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 1.54 lb |
|---------------|---------|


PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099085X-21**Code Ref. **W8938-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 8.82 lb |
|---------------|---------|


PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099082X-21**Code Ref. **W8939-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 9.26 lb |
|---------------|---------|


PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099084X-21**Code Ref. **W8945-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|

| | |
|---------------|---------|
| Weight | 9.48 lb |
|---------------|---------|


PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099081X-21**Code Ref. **W8946-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|


| | |
|---------------|---------|
| Weight | 9.92 lb |
|---------------|---------|

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099153X-21**Code Ref. **W8954-21****TECHNICAL INFORMATION**

| | |
|--------------|----------------|
| Color | Aluminium - 21 |
|--------------|----------------|


| | |
|---------------|---------|
| Weight | 7.17 lb |
|---------------|---------|

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.
Arcluce Code 1099151X-21
Code Ref. W8955-21

TECHNICAL INFORMATION
Color Aluminium - 21


Weight 12.35 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.
Arcluce Code 1099152X-21
Code Ref. W8956-21

TECHNICAL INFORMATION
Color Aluminium - 21

Weight 17.64 lb

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).
Arcluce Code 1099472X-21
Code Ref.

TECHNICAL INFORMATION
Color Aluminium - 21

Weight 3.75 lb


PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .
Arcluce Code 1099473X-21
Code Ref.

TECHNICAL INFORMATION
Color Aluminium - 21

Weight 4.63 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-16**

Code Ref. **S7940-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-16**

Code Ref. **S7941-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-16**

Code Ref. **S7942-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-16**

Code Ref. **S7943-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 110.23 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-16**

Code Ref. **S7946-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 143.3 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-16**

Code Ref. **S7947-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 160.94 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-16**

Code Ref. **S7948-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 238.1 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-16**

Code Ref. **S7949-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 255.74 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097002X-16**

Code Ref. **S7961-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 79.37 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097006X-16**

Code Ref. **S7962-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097010X-16**

Code Ref. **S7963-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097013X-16**

Code Ref. **S7964-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 103.62 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097032X-16**

Code Ref. **S7966-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 136.69 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097033X-16**

Code Ref. **S7967-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 154.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097034X-16**

Code Ref. **S7968-16**



TECHNICAL INFORMATION


Color Grey - 16

Weight 171.96 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097035X-16**

Code Ref. **S7969-16**



TECHNICAL INFORMATION

Color Grey - 16

Weight 249.12 lb

PAINTED STEEL SUPPORT BRACKET FOR ROOF EAVES.


Arcluce Code **1099154X-16**Code Ref. **W5158-16**

TECHNICAL INFORMATION

| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 1.76 lb |
|---------------|---------|

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.


Arcluce Code **1099080X-16**Code Ref. **W8935-16**

TECHNICAL INFORMATION

| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 1.43 lb |
|---------------|---------|

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099079X-16**Code Ref. **W8936-16**

TECHNICAL INFORMATION

| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 1.54 lb |
|---------------|---------|


PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099085X-16**Code Ref. **W8938-16**


TECHNICAL INFORMATION

| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|


| | |
|---------------|---------|
| Weight | 8.82 lb |
|---------------|---------|

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).
Arcluce Code 1099082X-16
Code Ref. W8939-16

TECHNICAL INFORMATION
Color Grey - 16


Weight 9.26 lb

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).
Arcluce Code 1099084X-16
Code Ref. W8945-16

TECHNICAL INFORMATION
Color Grey - 16

Weight 9.48 lb


PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM).
Arcluce Code 1099081X-16
Code Ref. W8946-16

TECHNICAL INFORMATION
Color Grey - 16

Weight 9.92 lb

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.
Arcluce Code 1099153X-16
Code Ref. W8954-16

TECHNICAL INFORMATION
Color Grey - 16

Weight 7.17 lb


PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.

Arcluce Code **1099151X-16**Code Ref. **W8955-16****TECHNICAL INFORMATION**

| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|----------|
| Weight | 12.35 lb |
|---------------|----------|

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.

Arcluce Code **1099152X-16**Code Ref. **W8956-16****TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|----------|
| Weight | 17.64 lb |
|---------------|----------|

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code **1099472X-16**

Code Ref.

**TECHNICAL INFORMATION**


| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 3.75 lb |
|---------------|---------|

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .

Arcluce Code **1099473X-16**

Code Ref.

**TECHNICAL INFORMATION**

| | |
|--------------|-----------|
| Color | Grey - 16 |
|--------------|-----------|

| | |
|---------------|---------|
| Weight | 4.63 lb |
|---------------|---------|


Arcluce Code **1098009X**
Code Ref.



TECHNICAL INFORMATION

Weight 1.1 lb

Arcluce Code **1098010X**
Code Ref.



TECHNICAL INFORMATION

Weight 1.1 lb
