


PIXOL200 (Model)



TECHNICAL INFORMATION



[IES Files](#)

Watt	12W – 68W
Luminaire	Up to 7000lm
CCT	3000K – RGBW
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	White - 11 / Aluminium - 21 / Grey - 16

DESCRIPTION



VERSIONS *(Click on below link to configure your product)*



[oneway](#)

[twoway](#)



Size:

Size:

7" 7/8

7" 7/8

5" 1/2

5" 1/2

7" 7/8

7" 7/8

OPTICS




See accessories in the next page

BASE PLATE FOR WALL/CEILING APPLICATION FOR SIDE ENTRY OF POWER CABLE - WHITE

Arcluce Code **1099627X-11**


Code Ref.

**TECHNICAL INFORMATION****Color** White - 11**Weight** 1.76 lb

ADAPTER PLATE FOR INSTALLATION ON ELECTRICAL BOXES.

Arcluce Code **1099628X**


Code Ref.

**TECHNICAL INFORMATION****Weight** 1.1 lb

BASE PLATE FOR WALL/CEILING APPLICATION FOR SIDE ENTRY OF POWER CABLE - ALUMINIUM (RAL 9005)

Arcluce Code **1099627X-21**


Code Ref.

**TECHNICAL INFORMATION****Color** Aluminium - 21**Weight** 1.76 lb

BASE PLATE FOR WALL/CEILING APPLICATION FOR SIDE ENTRY OF POWER CABLE - GREY, SIMILAR TO (RAL 7024)

Arcluce Code **1099627X-16**

Code Ref.

**TECHNICAL INFORMATION****Color** Grey - 16**Weight** 1.76 lb

Arcluce Code **1098009X**
Code Ref.



TECHNICAL INFORMATION

Weight 1.1 lb

Arcluce Code **1098010X**
Code Ref.



TECHNICAL INFORMATION

Weight 1.1 lb
