

CE

IP66

*К*10

ll

1.72 ft²

ZOYA (Model)



TECHNICAL INFORMATION IES File		
Watt	37W – 77W	
Luminaire	Up to 10750lm	
сст	3000K – 4000K	
CRI	>80	
Wiring		
LED life time	> 60000h - L80 - B20 (Ta 25°C)	
Color	Grey - 16 / Black - 12 / Aluminium - 21	

DESCRIPTION





<u>comfort</u>

Size: Ø 19" 3/8 25" 3/16

OPTICS


opal Size: Ø 19" 3/8

25" 3/16



soft light

Size: Ø 19" 3/8 25" 3/16





PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code 1099098X-16 Code Ref.

TECHNICAL IN	FORMATION
Color	Grey - 16
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099097X-16** Code Ref.

TECHNICAL IN	FORMATION		
Color	Grey - 16		
Weight	7.72 lb		

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code Code Ref. 1099096X-16

TECHNICAL IN	ORMATION	
Color	Grey - 16	
Weight	13.23 lb	


CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097016X-16 Code Ref.

Ī	
В	c C

TECHNICAL INFORMATION			
Color	Grey - 16		
Weight	46.3 lb	 	



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097017X-16 Code Ref.



TECHNICAL INFORMATION	
Grey - 16	
52.91 lb	
	Grey - 16

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097018X-16

Arcluce Code 1097018X-Code Ref.

	TECHNICAL IN	FORMATION		
	Color	Grey - 16	 	
	Weight	57.32 lb		
C				

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097036X-16

Code Ref.

В

C

В

Color	Grey - 16	
Weight	79.37 lb	


CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097037X-16 Code Ref.

В	

TECHNICAL IN	TECHNICAL INFORMATION	
Color	Grey - 16	
Weight	85.98 lb	



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097038X-16 Code Ref.



TECHNICAL INFORMATION		
Color	Grey - 16	
Weight	92.59 lb	

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097001X-16 Code Ref.

	TECHNICAL IN	FORMATION		
	Color	Grey - 16	 	
	Weight	77.16 lb		

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097004X-16

Code Ref.

В

Color	Grey - 16	
Weight	85.98 lb	

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097008X-16 Code Ref.


Ţ	
В	c C

TECHNICAL	INFORMATION

Color	Grey - 16	
Weight	94.8 lb	



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097012X-16 Code Ref.



TECHNICAL IN	FORMATION	
Color	Grey - 16	
Weight	101.41 lb	

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097015X-16

Code Ref.

	TECHNICAL INI	FORMATION		
	Color	Grey - 16	 	
В	Weight	110.23 lb		

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code Code Ref. 1099098X-12

	TECHNICAL IN	FORMATION	
	Color	Black - 12	
	Weight	5.51 lb	
A., C.,			

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code	
Code Ref.	

1099097X-12

TECHNICAL	INFORMATION

	Color	Black - 12
	Weight	7.72 lb
С		



PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code 1099096X-12 Code Ref.

TECHNICAL IN	FORMATION		
Color	Black - 12		
Weight	13.23 lb		

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097016X-12

Code Ref.

	TECHNICAL INI	TECHNICAL INFORMATION		
	Color	Black - 12		
в	Weight	46.3 lb		

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097017X-12 Code Ref.

Ţ	P. A.
В	
Ţ	

TECHNICAL IN	FORMATION			
Color	Black - 12			
Weight	52.91 lb			

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097018X-12 Code Ref.


Ţ	
В	c]

TECHNICAL INFORMATION

Color	Black - 12
Weight	57.32 lb



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097036X-12 Code Ref.



TECHNICAL INFORMATION		
Color	Black - 12	
Weight	79.37 lb	

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097037X-12

Code Ref.

	TECHNICAL IN	TECHNICAL INFORMATION		
	Color	Black - 12		
В	Weight	85.98 lb		
C				

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097038X-12

Code Ref.

В	

Color	Black - 12
Weight	92.59 lb


CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097001X-12 Code Ref.

-~~	

Color	Black - 12	
Weight	77.16 lb	



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097004X-12 Code Ref.



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097008X-12


Code Ref.

	TECHNICAL INF	ORMATION
	Color	Black - 12
В	Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097012X-12

Code Ref.

TECHNICAL INFORMATION



Color	Black - 12
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097015X-12 Code Ref.

Ţ	
В	

TECHNICAL	INFORMATION

Color	Black - 12	
Weight	110.23 lb	



PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code **1099098X-21** Code Ref.

TECHNICAL INI	FORMATION
Color	Aluminium - 21
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099097X-21** Code Ref.

TECHNICAL IN	FORMATION
Color	Aluminium - 21
Weight	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code	
Code Ref.	

8

A -

1099096X-21

FORMATION	TECHNICAL INF
Aluminium - 21	Color
13.23 lb	Weight
 13.23 lb	Weight

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097016X-21 Code Ref.


Ţ	
В	c C

TECHNICAL INFORMATION	

Color	Aluminium - 21
Weight	46.3 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097017X-21 Code Ref.



TECHNICAL IN	FORMATION	
Color	Aluminium - 21	
Weight	52.91 lb	


CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097018X-21

Code Ref.

TECHNICAL INFOR	MATION
Color	Aluminium - 21
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097036X-21

Code Ref.



Color	Aluminium - 21
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097037X-21 Code Ref.

В	

TECHNICAL INFORMATION	
------------------------------	--

Color	Aluminium - 21	
Weight	85.98 lb	



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097038X-21 Code Ref.

]	
В	c

Color	Aluminium - 21	
Weight	92.59 lb	

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097001X-21

Code Ref.

	TECHNICAL INFORMATION		
	Color	Aluminium - 21	
	Weight	77.16 lb	

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code **1097004X-21**

Code Ref.

B

Color	Aluminium - 21	
Weight	85.98 lb	


CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097008X-21 Code Ref.

Ţ	
В	c

Color	Aluminium - 21
Weight	94.8 lb




CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097012X-21 Code Ref.



TECHNICAL IN	ECHNICAL INFORMATION	
Color	Aluminium - 21	
Weight	101.41 lb	

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. Arcluce Code 1097015X-21

Code Ref.



TECHNICAL IN	TECHNICAL INFORMATION	
Color	Aluminium - 21	
Weight	110.23 lb	