

ZOYA (Model)



| TECHNICAL INFORMATION | | <u>IES Files</u> |
|-----------------------|---|------------------|
| Watt | 37W – 77W | |
| Luminaire | Up to 10750lm | |
| ССТ | 3000K – 4000K | |
| CRI | >80 | |
| Wiring | | |
| LED life time | > 60000h - L80 - B20 (Ta 25°C) | |
| Color | Grey - 16 / Black - 12 / Aluminium - 21 | |

DESCRIPTION



IP66

IK10

VERSIONS (Click on below link to configure your product)









soft light

1.72 ft²

Size: Size: Ø 19" 3/8 Ø 19" 3/8 25" 3/16 25" 3/16

Size: Ø 19" 3/8 25" 3/16

OPTICS

comfort






PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099098X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 5.51 lb |

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099097X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 7.72 lb |

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099096X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 13.23 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097016X-16

Code Ref.




| Color | Grey - 16 |
|--------|-----------|
| Weight | 46.3 lb |



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097017X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 52.91 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097018X-16

Code Ref.



TECHNICAL INFORMATION

| Color | Grey - 16 |
|--------|-----------|
| Weight | 57.32 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097036X-16

Code Ref.




TECHNICAL INFORMATION

| Color | Grey - 16 |
|--------|-----------|
| Weight | 79.37 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097037X-16

Code Ref.




| Color | Grey - 16 |
|--------|-----------|
| Weight | 85.98 lb |



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097038X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 92.59 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097001X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 77.16 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097004X-16

Code Ref.




TECHNICAL INFORMATION

| Color | Grey - 16 |
|--------|-----------|
| Weight | 85.98 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097008X-16

Code Ref.




| Color | Grey - 16 |
|--------|-----------|
| Weight | 94.8 lb |



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097012X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 101.41 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \varnothing 102 MM WITH \varnothing 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097015X-16

Code Ref.



TECHNICAL INFORMATION


| Color | Grey - 16 |
|--------|-----------|
| Weight | 110.23 lb |

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099098X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 5.51 lb |

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099097X-12

Code Ref.



| Color | Black - 12 |
|--------|------------|
| Weight | 7.72 lb |




PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099096X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 13.23 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097016X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 46.3 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097017X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 52.91 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097018X-12

Code Ref.




| Color | Black - 12 |
|--------|------------|
| Weight | 57.32 lb |



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097036X-12

Code Ref.



TECHNICAL INFORMATION

| Color | Black - 12 |
|--------|------------|
| Weight | 79.37 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097037X-12

Code Ref.



TECHNICAL INFORMATION

| Color | Black - 12 |
|--------|------------|
| Weight | 85.98 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097038X-12

Code Ref.




TECHNICAL INFORMATION

| Color | Black - 12 |
|--------|------------|
| Weight | 92.59 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097001X-12

Code Ref.




| Color | Black - 12 |
|--------|------------|
| Weight | 77.16 lb |



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097004X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 85.98 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097008X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 94.8 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097012X-12

Code Ref.



TECHNICAL INFORMATION


| Color | Black - 12 |
|--------|------------|
| Weight | 101.41 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code '

1097015X-12

Code Ref.



| Color | Black - 12 |
|--------|------------|
| Weight | 110.23 lb |




PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code

1099098X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 5.51 lb |

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code

1099097X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 7.72 lb |

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.

Arcluce Code

1099096X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 13.23 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097016X-21

Code Ref.




| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 46.3 lb |



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097017X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 52.91 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097018X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 57.32 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097036X-21

Code Ref.




TECHNICAL INFORMATION

| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 79.37 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097037X-21**

Code Ref.




| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 85.98 lb |



CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097038X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 92.59 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097001X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 77.16 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097004X-21

Code Ref.




TECHNICAL INFORMATION

| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 85.98 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \emptyset 102 MM WITH \emptyset 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097008X-21

Code Ref.




| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 94.8 lb |



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097012X-21

Code Ref.



TECHNICAL INFORMATION


| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 101.41 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE \varnothing 102 MM WITH \varnothing 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097015X-21

Code Ref.



| Color | Aluminium - 21 |
|--------|----------------|
| Weight | 110.23 lb |